



COMPLETE
**ARCHITECTURAL
HARDWARE**
SOLUTIONS

Crafted
for Excellence...



www.titone.in

Edition #6

MRP W.E.F. 01/04/2026



ABOUT US

For over two decades, TITONE Architectural Hardware Solutions has established itself as a leading manufacturer, wholesaler and importer of premium architectural hardware. We take pride in offering one of the most comprehensive and innovative product portfolios in the industry, thoughtfully designed to meet the demands of modern commercial and residential spaces.

OUR EXTENSIVE RANGE INCLUDES:

PATCH FITTINGS • DOOR HANDLES • FLOOR SPRINGS & ACCESSORIES • SWING FRAMED SHOWER ENCLOSER • SHOWER CUBICLE FITTINGS • PLASTIC PROFILES • SLIDING SHOWER SCREEN • CORNER SLIDING SHOWER SCREEN • SLIDING DOOR SYSTEMS • SPIDER FITTINGS & FRAMELESS CANOPY SYSTEMS • FRAMED SLIDING FOLDING SYSTEMS • FRAMELESS SLIDING FOLDING SYSTEMS • SLIM GLAZE PARTITION SYSTEMS • FRAMELESS OFFICE PARTITION HARDWARE • OVER HEAD DOOR CLOSERS • WALL CONNECTING PROFILE • AUTOMATIC DOORS / MOTION SENSOR & ACCESSORIES • TELESCOPIC SLIDING SYSTEMS • SLIM FRAMED SWING DOORS • INVISIBLE SLIDING SYSTEMS • DOOR CONTROL HARDWARE • GLASS RAILING SYSTEMS.

at TITONE, our legacy is built on a determined commitment to quality, innovation and excellence. As a quality-driven company, we conduct thorough research on materials, maintain strict adherence to safety standards and employ the most advanced production techniques available. Every product undergoes rigorous quality control testing for durability, finish and strength-ensuring they exceed expectations.

We are passionate about pushing the boundaries of architectural hardware, delivering solutions that combine functionality with aesthetic elegance. Our products are widely recommended for hotels, residences, offices, hospitals and interior spaces, all offered at competitive prices.

Reliability is our hallmark. As experienced manufacturers, wholesalers and importers, we ensure prompt delivery, efficient communication and personalized service to meet your unique requirements and deadlines.

Discover the TITONE advantage—where superior craftsmanship, innovation and affordability come together to create exceptional spaces.

INDEX

PATCH FITTINGS 1-3

DOOR HANDLES 4-6

FLOOR SPRINGS & ACCESSORIES 7-8

SWING FRAMED SHOWER ENCLOSER 9

SHOWER CUBICLE FITTINGS 10-14

PLASTIC PROFILES 15

SLIDING SHOWER SCREEN 16

SLIDING DOOR SYSTEMS 17-20

SPIDER FITTINGS & FRAMELESS CANOPY SYSTEMS 21-25

FRAMED SLIDING FOLDING SYSTEMS 26

FRAMELESS SLIDING FOLDING SYSTEMS 27

SLIM GLAZE PARTITION SYSTEMS 28-32

FRAMELESS OFFICE PARTITION HARDWARE 33

OVER HEAD DOOR CLOSERS 34

WALL CONNECTING PROFILE 35

AUTOMATIC DOORS / MOTION SENSOR & ACCESSORIES 36-39

TELESCOPIC SLIDING SYSTEMS 40-41

SLIM FRAMED SWING DOORS 42

INVISIBLE SLIDING SYSTEMS 43

DOOR CONTROL HARDWARE 44-46

GLASS RAILING SYSTEMS 47-50



PATCH FITTINGS

TITONE offers an unrevealed collection of premium patch fittings, meticulously engineered to harmonize sophisticated aesthetics with uncompromising structural integrity.

Crafted from high-grade, heavy-duty materials and available in a curate selection of bespoke finishes, these fittings are designed to integrate seamlessly with luxury interiors. Engineered to accommodate glass thicknesses of 8–12mm, every component adheres to rigorous international standards. "Where world-class craftsmanship meets architectural rigour: built for stability, certified for safety, and refined for excellence.

STURDY, DEPENDABLE & LONG LASTING FLOOR SPRINGS



SS



BM



GP



RGP

www.titone.in

PATCH FITTINGS



PREMIUM SERIES

SSS  BM  GOLD  RG 

TIPF-1



MRP	
SSS	2150
BM	2550
GP	3060
RGP	3060

Over Panel Side Panel Connecting Patch with Pivot


TIPF-2



Top Patch

MRP	
SSS	1100
BM	1550
GP	1680
RGP	1680

TIPF-3



Bottom Patch

MRP	
SSS	1100
BM	1550
GP	1680
RGP	1680

TIPF-4



Wall Mounted Over Panel Patch with Pivot

MRP	
SSS	1650
BM	1950
GP	2340
RGP	2340

TIPL-1



Corner Patch Lock with Strike Plate

MRP	
SSS	2300
BM	2750
GP	3300
RGP	3300

TIPF-610



Over Panel Side Panel Connector

MRP	
SSS	1600
BM	1950
GP	2340
RGP	2340

TIPF-640



Wall to Glass Clamping Patch

MRP	
SSS	600
BM	800
GP	960
RGP	960

TIPF-650



Glass to Glass Connecting Patch to Wall / Ceiling

MRP	
SSS	950
BM	1100
GP	1320
RGP	1320

TIPF-660



Double Glass Connector to Integrate Two Glasses in the Center

MRP	
SSS	1100
BM	1300
GP	1560
RGP	1560

PATCH FITTINGS

PREMIUM SERIES

SSS  BM  GOLD  RG 

TIPL-2A



Center Patch Lock

MRP

SSS	2550
BM	2650
GP	2850
RGP	2850

TIPL-2B



Strike Box for Tipl-2a

MRP

SSS	1500
BM	1650
GP	1950
RGP	1950

TIPF-41 R/L



Over Panel Side Panel Connector with Fin (Right & Left)

MRP

SSS	4500
BM	5000
GP	6500
RGP	6500

TIPF-51



Over Panel Connector For Back to Back Doors

MRP

SSS	5900
BM	6300
GP	6900
RGP	6900

TIPF-610 R/L



Triple Glass Connector With Fin (Right / Left)

MRP

SSS	3800
BM	4500
GP	5500
RGP	5500

TIPF-630F



Double Glass Connector With Fin Fitting Inside

MRP

SSS	3800
BM	4500
GP	5500
RGP	5500

TIPF-620



Quadruple Connector

MRP

SSS	3500
BM	3900
GP	4500
RGP	4500

TIPF-610-ST



Over Panel Side Panel Connector With Stopper (one Side Opening Door)

MRP

SSS	3800
BM	3950
GP	4350
RGP	4350

TIFS-ACC-GDP



Top Pivot For Patch Point Fitting Doors

MRP

SSS	250
BM	400
GP	650
RGP	650

PATCH LOCKS WITHOUT CUTOUT

SSS  BM  GOLD  RG 

TIGL-11A



Wall To Glass Door Lock with Strike Plate (one Side Key Only)

MRP

SSS	1200
BM	-
GP	-
RGP	-

TIGL-11B



Glass To Glass Door Lock With Strike Box (one side Key only)

MRP

SSS	1300
BM	-
GP	-
RGP	-

TIGL-12A



Wall To Glass Door Lock With Strike Plate (one Side Key One Side Knob)

MRP

SSS	1400
BM	2200
GP	2600
RGP	2600

TIGL-12B



Glass To Glass Door Lock With Strike Box (one Side Key One Side Knob)

MRP

SSS	1550
BM	2300
GP	2700
RGP	2700

TIGL-13A



Wall To Glass Door Lock With Strike Plate (one Side Key One Side Knob)

MRP

SSS	1400
BM	-
GP	-
RGP	-

TIGL-13B



Glass To Glass Door Lock With Strike Box (one Side Key One Side Knob)

MRP

SSS	1550
BM	-
GP	-
RGP	-

PATCH FITTINGS

PATCH LOCKS WITHOUT CUTOUT

SSS  BM  GOLD  RG 

TIGL-14A



MRP	
SSS	1300
BM	-
GP	-
RGP	-

Wall To Glass Door Lock With Strike Plate (one Side Key Only)

TIGL-14B



MRP	
SSS	1500
BM	-
GP	-
RGP	-

Glass To Glass Door Lock With Strike Box (one Side Key Only)

TIGL-15A



MRP	
SSS	1600
BM	2100
GP	2300
RGP	2300

Wall To Glass Door Lock With Strike Plate (one Side Key One Side Knob)

TIGL-15B



MRP	
SSS	1700
BM	2200
GP	2400
RGP	2400

Glass To Glass Door Lock With Strike Box (one Side Key One Side Knob)

TIGL-16A



MRP	
SSS	1150
BM	1650
GP	1950
RGP	1950

Wall To Glass Door Lock With Strike Plate (one Side Key Only)

TIGL-16B



MRP	
SSS	1250
BM	1450
GP	2000
RGP	2000

Glass To Glass Door Lock With Strike Box (one Side Key Only)

TIGL-17A



MRP	
SSS	1000

Wall To Glass Door Lock With Strike Plate (one Side Knob Only)

TIGL-17B



MRP	
SSS	1350

Glass To Glass Door Lock With Strike Box (one Side Knob Only)

TIGL-18A



MRP	
SSS	1500
BM	2550
GP	2950
RGP	2950

Wall To Glass Door Lock With Strike Plate (one Side Knob Only)

TIGL-18B



MRP	
SSS	1700
BM	2650
GP	3150
RGP	3150

Glass To Glass Door Lock With Strike Box (one Side Knob Only)

TIGHL-20A



MRP	
SSS	11900
BM	-

Wall To Glass Handle With Lock (Required Glass Cutout)


TIGHL-20B



MRP	
SSS	13500
BM	-

Glass To Glass Handle With Lock (Required Glass Cutout)


TIGL-SDL-111



MRP	
SSS	10500
BM	13500
GP	14500
RGP	14500

Sliding Door Lock With Claw Type Dead Bolt & Strike Plate

TIGL-SDL-111G



MRP	
SSS	13500
BM	16500
GP	17500
RGP	17500

Sliding Door Lock With Claw Type Dead Bolt & Strike Box

DOOR HANDLES



DOOR HANDLES

SSS  PSS  BM  GOLD  RG 

TIGH-11

D-type Handles



PRODUCT CODE	HANDLE DIAMETER	C TO C	FULL LENGTH OF HANDLE	FINISH	MRP
TIGH-11 19 X 171 MM	19 MM	150 MM	171 MM	PSS/SSS	1100
	19 MM	150 MM	171 MM	BM	1200
	19 MM	150 MM	171 MM	GOLD	1350
	19 MM	150 MM	171 MM	RG	1450
TIGH-11 25 X 219 MM	25 MM	200 MM	219 MM	PSS/SSS	950
TIGH-11 22 X 269 MM	22 MM	250 MM	269 MM	PSS/SSS	1000
TIGH-11 22 X 325 MM	22 MM	300 MM	325 MM	PSS/SSS	1200
TIGH-11 25 X 325 MM	25 MM	300 MM	325 MM	PSS/SSS	1250
	25 MM	300 MM	325 MM	BM	1850
	25 MM	300 MM	325 MM	GOLD	2050
	25 MM	300 MM	325 MM	RG	2050
TIGH-11 25 X 475 MM	25 MM	450 MM	475 MM	PSS/SSS	1550
	25 MM	450 MM	475 MM	BM	2150
TIGH-11 25 X 625 MM	25 MM	600 MM	625 MM	PSS/SSS	1950
	25 MM	600 MM	625 MM	BM	2550
TIGH-11 32 X 475 MM	32 MM	450 MM	475 MM	PSS/SSS	3050
TIGH-11 32 X 625 MM	32 MM	600 MM	625 MM	PSS/SSS	3900

TIGH-11 DD

Offset Handles



PRODUCT CODE	HANDLE DIAMETER	C TO C	FULL LENGTH OF HANDLE	FINISH	MRP
TIGH-11 DD 25 X 225 MM	25 MM	200 MM	225 MM	SSS	1650
TIGH-11 DD 25 X 260 MM	25 MM	250 MM	260 MM	SSS	1700
TIGH-11 DD 25 X 325 MM	25 MM	300 MM	325 MM	SSS	1750
	25 MM	300 MM	325 MM	BM	2300
TIGH-11 DD 25 X 475 MM	25 MM	450 MM	475 MM	SSS	2950
	25 MM	450 MM	475 MM	BM	3500
TIGH-11 DD 25 X 675 MM	25 MM	600 MM	675 MM	SSS	3600
	25 MM	600 MM	675 MM	BM	4500

DOOR HANDLES



DOOR HANDLES

SSS  PSS  BM  GOLD  RG 

TIGH-55

H-type Handles



PRODUCT CODE	HANDLE DIAMETER	C TO C	FULL LENGTH OF HANDLE	FINISH	MRP
TIGH-55 25X200 MM	25 MM	150 MM	200 MM	PSS/SSS	800
TIGH-55 25X250 MM	25 MM	200 MM	250 MM	PSS/SSS	850
TIGH-55 25X300 MM	25 MM	250 MM	300 MM	PSS/SSS	900
TIGH-55 25X400 MM	25 MM	300 MM	400 MM	PSS/SSS BM	1000 1850
TIGH-55 25X450 MM	25 MM	300 MM	450 MM	PSS/SSS	1550
TIGH-55 25X600 MM	25 MM	450 MM	600 MM	PSS/SSS BM	1600 2300
TIGH-55 25X750 MM	25 MM	600 MM	750 MM	PSS/SSS BM	2400 3050
TIGH-55 25X900 MM	25 MM	750 MM	900 MM	PSS/SSS BM	2550 3550
TIGH-55 25X1050 MM	25 MM	900 MM	1050 MM	SSS	3050
TIGH-55 32X450 MM	32 MM	300 MM	450 MM	PSS/SSS	1500
	32 MM	300 MM	450 MM	BM	1950
	32 MM	300 MM	450 MM	GOLD	2850
	32 MM	300 MM	450 MM	R. GOLD	2850
TIGH-55 32X457 MM	32 MM	305 MM	457 MM	PSS/SSS	1600
	32 MM	305 MM	457 MM	BM	2050
TIGH-55 32X600 MM	32 MM	450 MM	600 MM	PSS/SSS	2500
	32 MM	450 MM	600 MM	BM	3900
	32 MM	450 MM	600 MM	GOLD	4300
	32 MM	450 MM	600 MM	R. GOLD	4300
TIGH-55 32X750 MM	32 MM	600 MM	750 MM	PSS/SSS	3050
	32 MM	600 MM	750 MM	BM	4300
	32 MM	600 MM	750 MM	GOLD	4400
	32 MM	600 MM	750 MM	R. GOLD	4600
TIGH-55 32X900 MM	32 MM	750 MM	900 MM	PSS/SSS BM	4400 5500
TIGH-55 32X1050 MM	32 MM	900 MM	1050 MM	PSS/SSS BM	4950 5650
TIGH-55 32X1200 MM	32 MM	1050 MM	1200 MM	PSS/SSS BM	5650 6650
TIGH-55 32X1350 MM	32 MM	1200 MM	1350 MM	PSS/SSS BM	6200 7500


DOOR HANDLES



DOOR HANDLES

TIGHL-55

Glass Door Handle With Locking Functions



HANDLE DIAMETER	C TO C	FULL LENGTH OF HANDLE	FINISH	MRP
38 MM	1125 MM	1500 MM	SSS	13500
38 MM	1125 MM	1500 MM	BM	16500
38 MM	1125 MM	1500 MM	GOLD	22000
38 MM	1125 MM	1500 MM	RGP	22000

TIGH-55 ADJ

Adjustable Handle



HANDLE DIAMETER	C TO C	FULL LENGTH OF HANDLE	FINISH	MRP
32 MM	200 MM	300 MM	SSS	2800
32 MM	300 MM	450 MM	SSS	3300
32 MM	450 MM	600 MM	SSS	3600
32 MM	600 MM	750 MM	SSS	5500
32 MM	750 MM	900 MM	SSS	6500
32 MM	900 MM	1050 MM	SSS	7100

SSS PSS BM GOLD RG

TIGH-552-ED

Glass Door Handles



HANDLE DIAMETER	C TO C	FULL LENGTH OF HANDLE	FINISH	MRP
40X10 MM	300 MM	450 MM	SSS	3600
40X10 MM	450 MM	600 MM	SSS	5800

TIGH-554-ED

Glass Door Handles



HANDLE DIAMETER	C TO C	FULL LENGTH OF HANDLE	FINISH	MRP
20X40 MM	300 MM	325 MM	SSS	3650
20X40 MM	450 MM	475 MM	SSS	5750

TIGH-11-ED

Offset Door Handles



HANDLE DIAMETER	C TO C	FULL LENGTH OF HANDLE	FINISH	MRP
25X25 MM	300 MM	325 MM	SSS	3900
25X25 MM	450 MM	475 MM	SSS	5400

FLOOR SPRINGS



FLOOR SPRINGS

SSS  BM  GOLD  RG 

The Tifs-888/999 Model Is An Economical Double Action Floor Spring, Crafted Using Premium Quality Raw Materials. It Undergoes Meticulous Quality Checks To Ensure Reliability And Is Offered At Highly Competitive Prices.

TIFS-3300



2 YEARS WARRANTY

MRP	
SSS	3000
BM	3600
GP	4320
RGP	4320

Single Cylinder
Floor Spring for Wood / Aluminium / Glass Door
Maximum Door Weight Upto
60 Kg 5,00,000 Cycle Tested

TIFS-555



5 YEARS WARRANTY

MRP	
SSS	3400
BM	4000
GP	5000
RGP	5000

Single Cylinder
Floor Spring for Wood / Aluminium / Glass Door
Maximum Door Weight Upto
90 Kg 5,00,000 Cycle Tested

TIFS-7700



2 YEARS WARRANTY

MRP	
SSS	5500
BM	6500
GP	7100
RGP	7100

Double Cylinder
Floor Spring for Wood / Aluminium / Glass Door
Maximum Door Weight Upto
100 Kg 5,00,000 Cycle Tested

TIFS-888



10 YEARS WARRANTY

MRP	
SSS	6000
BM	7000
GP	7800
RGP	7800

Double Cylinder
Floor Spring for Aluminium / Wood / Glass Door
Maximum Door Weight Upto
120 Kg 10,00,000 Cycle Tested

TIFS-999



10 YEARS WARRANTY

MRP	
SSS	7500
BM	7900
GP	8200
RGP	8200

Double Cylinder
Floor Spring for Wood / Aluminium / Glass Door
Maximum Door Weight Upto
150 Kg 10,00,000 Cycle Tested

TIFS-10400



10 YEARS WARRANTY

MRP	
SSS	8500
BM	8800
GP	9200
RGP	9200

Double Cylinder
Floor Spring for Aluminium / Wood / Glass Door
Maximum Door Weight Upto
150-180 Kg 10,00,000 Cycle Tested

FLOOR SPRING & ACCESSORIES

TICFH-100

Hydraulic Floor Hinge
Max Door Weight :
Upto 100 Kg



TECHNICAL PARAMETERS

- Dimensions 195x45x75mm
- Applicable Door Weight 100 Kg
- Maximum Open Degree 360°
- 90° Hold Open
- Applicable, Door Width 1100
- Tested 5,00,000 Cycles
- Working Efficiency More Than 70%
- Opening Lightly And Closing Powerful

FINISH

SSS	
BM	
GOLD	
RG	

MRP

9600
11300
12560
12560



SSS



BLACK MATT



GOLD



ROSE GOLD

TICFH-W-100



Concealed Hydraulic
Patch
For Wooden Doors 100
Kg

TECHNICAL PARAMETERS

- Dimensions 181x57x34mm
- Applicable Door Weight 100 Kg
- Maximum Open Degree 360°
- 90° Hold Open
- Applicable Door Width 1100
- Tested 5,00,000 Cycle
- Working Efficiency More Than 70%
- Opening Lightly And Closing Powerful
- Suitable In 40 Mm Wooden Door
- Standard Package Come Along With Top / Pivot Set

FINISH

SSS	
BM	
GOLD	
RG	

MRP

12800
13200
14000
14000

TIFS-ACC-TP/BP

MRP

650



Top & Bottom Pivot
For Wooden /
Aluminium Door

TIFS-MH-1



- 360° Smooth Rotation
- Door Opening Is Not Easy To Get Stuck And The Mute Effect Is Good

Mini Floor Hinge Compatible With Patch Fitting

MRP

SSS	1250
BM	1450
GP	1650
RGP	1650


FRAMED SHOWER CUBICLE

SLIM FRAMED SHOWER CUBICLE

BM ■ BGP ■




TIASC-4001-DR	MRP
BM	6800
BG	7500
BRG	7500




Door Rebate

TIASC-4002	MRP
BM	3800
BG	4800
BRG	4800




Fix Profile

TIASC-4003	MRP
BM	3600
BG	3800
BRG	3800



Fix M/f Profile

TIASC-VDP-4004	MRP
BM	4000
BG	4500
BRG	4500




Vertical Profile

TIASC-4005	MRP
BM	1050
BG	1150
BRG	1150




Portal Cap

TIASC-4006-DR	MRP
BM	3250
BG	3450
BRG	3450




Portal Rebate

TIASC-4007-P	MRP
BM	7800
BG	8200
BRG	8200




Portal

TIASC-4008-DR	MRP
BM	5800
BG	6500
BRG	6500




Door Rebate

TIASC-4009-VDP	MRP
BM	4000
BG	4500
BRG	4500



Vertical Profile

TIASC-4010	MRP
BM	3800
BG	4200
BRG	4200



Fix M/f Profile

TIASC-4011-L	MRP
BM	450



Profile Connector

TIASC-4012-MS	MRP
BM	1800



Magnetic Seal

TIASC-TB-01	MRP
BM	3000
BG	3800
BRG	3800



Glass Door Handle

TIASC-TB-02	MRP
BM	3500
BG	4200
BRG	4200



Glass Door Handle

TIASC-H-03	MRP
BM	2650
BG	3050
BRG	3050



Glass Door Hinges

TIASC-L-3516	MRP
BM	475



Profile Connector

TIASC-ABF-06	MRP
5X3X3	BM 2300
	BG 2600
	BRG 2600



Auto Close Butterfly Hinges

TIACH-07	MRP
SET	BM 1150
	BG 1650
	BRG 1650



Concealed Door Hinge

TISPDH-08	MRP
SET	BM 1450
	BG 1650
	BRG 1650



Pivot Door Corner Hinge

TIASC-BF-09	MRP
SET	BM 700
	BG 800
	BRG 800



Butterfly Door Hinge

SHOWER CUBICLE FITTINGS



Premium Shower Hinge and Glass Hardware Collection

A Perfect Combination of Luxury and Strength Choose our premium glass hardware range to give your bathroom a modern and elegant look. Our products are not only visually appealing but also promise superior quality and long-lasting durability.

- High Performance and Maintained Quality.
- Ensures smooth operations with luxurious finishes.
- Stringent tested for reliable and high performance.
- Universal design to suit all types of architecture and glass thickness.

Our Product Range:

1. Shower Hinges: Available in 90°, 135°, 180° & 360° options. With wall-to-glass and glass-to-glass fittings.
2. Glass Connectors: Sleek and sturdy clamps for securely connecting glass.
3. Handles & Towel Bars: 'H' type and 'C' type designer handles that are comfortable to hold and stylish in appearance.
4. Sliding Shower Systems: Modern sliding fittings for more luxury in less space.
5. PVC Seals: High-quality magnetic and drip seals to prevent water leakage.

PREMIUM SERIES

SS 304-GRADE SSS  PSS  BM  GOLD  RG 

TISSH-11ED

4MM

MRP

PSS	1250
-----	------



TISH-11ED

5MM

MRP

SSS	1600
PSS	1600
BM	2100
GP	2400
RGP	2400

TISSH-OFS-11ED

4MM

MRP

PSS	1250
-----	------



TISH-OFS-11ED

5MM

MRP

SSS	1650
PSS	1650
BM	2150
GP	2600
RGP	2600

Wall To Glass Hinges

Offset Mounted Side Hinges

SHOWER CUBICLE FITTINGS

PREMIUM SERIES

SS 304-GRADE SSS  PSS  BM  GOLD  RG 

TISSH-22ED

4MM

MRP

PSS	2100
-----	------




Glass To Glass Hinges 180°

TISH-22ED

5MM

MRP

SSS	2500
PSS	2500
BM	3500
GP	4200
RGP	4350



TISSH-33ED

4MM

MRP

PSS	2300
-----	------




Glass To Glass Hinges 135°

TISH-33ED

5MM

MRP

SSS	2800
PSS	2800
BM	3700
GP	4300
RGP	4450



TISSH-44ED

4MM

MRP

PSS	2300
-----	------




Glass To Glass Hinges 90°

TISH-44ED

5MM

MRP

SSS	2800
PSS	2800
BM	3600
GP	4300
RGP	4450



TISSH-55ED

4MM

MRP

PSS	1100
-----	------



Wall To Glass Bracket Fixed Glass

TISH-55ED

5MM

MRP

SSS	1450
PSS	1450
BM	1850
GP	2450
RGP	2550



T-SWING SHOWER ENCLOSURE

TISH-22T-ED

5MM

MRP

PSS	6500
BM	7500
GP	8500
RGP	8500



Double Action - 3 Way T Shower Hinges

TISH-77ED

5MM

MRP

PSS	2800
BM	3000
GP	3100
RGP	3200



Ceiling / Floor To Glass Pivot Hinges

SHOWER CUBICLE FITTINGS

AUTO CLOSING HINGES

SS 304-GRADE G-SERIES

SSS

PSS

BM

GOLD

RG

TIHGH-11GS



Wall To Glass Hinges 90° 2 Way Soft Close

MRP

SSS	6500
PSS	6500
BM	6950
GP	7500
RGP	8500

TIHGH-22GS



Glass To Glass Hinges 180° 2 Way Soft Close


MRP

SSS	7500
PSS	7500
BM	8000
GP	9000
RGP	9000

TISH-01ED



- Wall To Glass 90° Hinges For 6-8 Mm Glass




MRP

SSS	1500
PSS	1600
BM	1850
GP	2200
RGP	2200

TISH-02ED



- Glass To Glass Hinges 180° For 6-8 Mm Glass



MRP

SSS	1900
PSS	2150
BM	2500
GP	2950
RGP	3150

TISH-101ED



- Wall To Glass Hinges For 90° For 8-12 Mm Glass

MRP

SSS	3800
PSS	3900
BM	4800
GP	5200
RGP	5200

TISH-202ED



- Glass To Glass Hinges 180° For 8-12 Mm Glass

MRP

SSS	4750
PSS	4950
BM	6500
GP	7200
RGP	7200

TIZGH-11



- Wall To Glass Hinges For 6-8 Mm Glass

MRP

SSS	600
PSS	650

TIZPH-66



- Pivot Hinges For Holding Glass From Top And Bottom Floor For 8 Mm Glass

MRP

SSS	1450
PSS	1600

SHOWER CUBICLE FITTINGS

GLASS CONNECTORS

SS 304-GRADE SSS  PSS  BM  GOLD  RG 

TIGC-1



MRP

SSS	265
PSS	265
BM	330
GP	550
RGP	580

Glass Connector For Wall / Floor Mounting

TIGC-2



MRP

SSS	500
PSS	500
BM	700
GP	800
RGP	880

Glass To Glass Connector 135°

TIGC-3



MRP

SSS	450
PSS	450
BM	600
GP	800
RGP	880

Glass To Glass Connector 90°

TIGC-4E

MRP

PSS	200
-----	-----



Wall To Glass Connector 90°

TIGC-4

MRP

SSS	300
PSS	300
BM	450
GP	750
RGP	780

TIGC-5



MRP

SSS	500
PSS	500
BM	600
GP	800
RGP	880

Glass To Glass Connector 180°

TIGC-5T



MRP

SSS	1050
PSS	1050
BM	1150
GP	1250
RGP	1250

Double Action 3 Way 't' Connector

TIGC-444



MRP

PSS	1200
BM	1350
GP	1450
RGP	1450


Glass To Glass Connector 90° With Double Hole

TOWEL BAR HANDLES

TIGH-TB-1

MRP

SSS	1450
PSS	1450
BM	1800
GP	2350
RGP	2350




Towel Bar With Handle (ø19mm)

TIGH-TB-2

MRP

PSS	2100
BM	2600




Towel Bar With Handle (ø25mm)

TIGH-TB-ED

MRP

SSS	1800
PSS	1800
BM	2000
GP	2350
RGP	2350



Towel Bar With Handle

SHOWER CUBICLE FITTINGS

DOOR KNOBS

SS 304-GRADE

SSS  PSS  BM  GOLD  RG 

TIDK-2

Glass Door Knob For 8-12 Mm Glass



MRP

SSS	750
PSS	750
BM	1000
GP	1250
RGP	1250

TIDK-3



Glass Door Knob
For 8-12 Mm Glass

MRP

SSS	750
PSS	750
BM	1000
GP	1250
RGP	1250

SHOWER KNIGHT HEAD ACCESSORIES

TISKH-1



MRP

SSS	450
PSS	450
BM	550
GP	700
RGP	750

Reinforcing Rod With Wall Connector

TISKH-2



MRP

SSS	500
PSS	500
BM	650
GP	800
RGP	850

Reinforcing Rod Support From Glass Through
And Through

TISKH-2A



MRP

SSS	550
PSS	550
BM	700
GP	875
RGP	890

Reinforcing Rod Support From Glass One
Side Blind

TISKH-3



MRP

SSS	900
PSS	900
BM	1200
GP	1500
RGP	1500

Reinforcing Rod Connector Universal

TISKH-4



MRP

SSS	900
PSS	900
BM	1200
GP	1500
RGP	1500

Reinforcing Bars
For Adjoining Shower Enclosures

TISKH-ACC-19MM



2 MTR.

MRP

SSS	1250
PSS	1250
BM	3300
GP	4320
RGP	4320

Reinforcing Rod 19 Mm Diameter (available In
2 Mtr. & 3 Mtr.

EDGE LINE KNIGHT HEAD ACCESSORIES

TISKH-1ED



MRP

SSS	850
PSS	850
BM	1050
GP	1250
RGP	1250

Wall To Track Connector

TISKH-2ED



MRP

SSS	950
PSS	950
BM	1100
GP	1350
RGP	1450

Track To Glass Connector

TISKH-ACC-19MM



3 MTR.

MRP

SSS	2100
PSS	2100
BM	4300
GP	5400
RGP	5400

Reinforcing Rod 19 Mm Diameter (available In
2 Mtr. & 3 Mtr.

TISKH-3ED



MRP

SSS	1000
PSS	1000
BM	1250
GP	1450
RGP	1500

Glass To Track End Connector Track To Track
90° Connector

TISKH-ACC-25T-ED



Track Available In 2 Mtr. & 3 Mtr.

2 MTR.

MRP

SSS	2500
PSS	2500
BM	4800
GP	5900
RGP	5900

3 MTR.

MRP

SSS	4100
PSS	4100
BM	7800
GP	8900
RGP	8900

PLASTIC PROFILES



PLASTIC PROFILES

PVC  BM  GOLD  RG 

AVAILABLE FOR 8/10/12 MM GLASS
STANDARD LENGTH : 2.2 & 2.4 MTR.

TIPS-1



Wall Seal

2.2 MTR. MRP	
PVC	250
8/10/12 MM	

8 FT. MRP	
PVC	350
BM	400

TIPS-2



Central Seal

2.2 MTR. MRP	
PVC	250
8/10/12 MM	

8 FT. MRP	
PVC	350
BM	400

TIPS-3



Central 180°
Weather Seal

2.2 MTR. MRP	
PVC	250
8/10/12 MM	

8 FT. MRP	
PVC	350
BM	400

TIPS-4



Central 180° Weather Seal

2.2 MTR. MRP	
PVC	250
8/10/12 MM	

8 FT. MRP	
PVC	350
BM	400

TIPS-7



Water Dispenser Seal



2.2 MTR. MRP	
PVC	250
8/10/12 MM	

8 FT. MRP	
PVC	350
BM	400

TIPS-8



Glass To Glass Center Seal

2.2 MTR. MRP	
PVC	300
8/10/12 MM	

8 FT. MRP	
PVC	400
BM	500

TIPS-9



Offset Lip Seal

2.2 MTR. MRP	
PVC	250
8/10/12 MM	

8 FT. MRP	
PVC	350
BM	400

TIPS-M1



180° Magnetic Seal

2.2 MTR. MRP	
PVC	1000
8/10/12 MM	

8 FT. MRP	
PVC	1300
BM	1500

TIPS-M2



135° Magnetic Seal

2.2 MTR. MRP	
PVC	1100
8/10/12 MM	

8 FT. MRP	
PVC	1300
BM	1500

TIPS-M3



90° Magnetic Seal

2.2 MTR. MRP	
PVC	1100
8/10/12 MM	

8 FT. MRP	
PVC	1300
BM	1500

SLIDING SHOWER SCREENS

SLIDING SHOWER SCREENS

SS 304-GRADE PSS BM GOLD RG



WALL TO WALL 180°



CORNER INTER SYSTEM
DOUBLE DOOR 90°

TISSL-SYS-1E-2MTR 3MTR PSS

2M 3M



	MRP	
PSS	9500	15500
BM	12000	21000
GP	15000	27000
RGP	15000	27000

TISSL-SYS.90-1E-1.65M x 2 PSS



	MRP	
PSS	19000	
BM	21000	
GP	29000	
RGP	29000	

- Maximum Door Weight : 55kg
- Maximum Door Width : 900 Mm



- Maximum Door Height : 2100 Mm
- Suitable Glass Thickness : 8 To 12 Mm

TISSL-SYS-90°JOINT CONNECTOR



	MRP
PSS	1000
BM	1100
GP	1250
RGP	1250


- 90° Connector



PART LIST		SINGLE DOOR	DOUBLE DOOR 90°
	Aluminium Top Track Finish : Pss	2 & 3 MTR. LENGTH	1.65 MTR. 2 LENGTH
	Track Corner Joint Finish : Pss (for Corner Entry System)	N.A.	1 PC.
	Ø 35 Stainless Steel Knob Clamp Roller Finish : Polished Or Satin Stainless Steel Suits 8-10 Mm Glass Thickness	2 PCS.	4 PCS.
	Steel End Stopper	2 PCS.	4 PCS.
	Stainless Steel Mounting Bracket (lh/rh) Finish : Polished Stainless Steel	1 SET (1 LH & 1 RH)	1 SET (1 LH & 1 RH)
	Single : Bottom Floor Guide	1 PC.	2 PCS.

SLIDING DOOR SYSTEMS

SLIDING DOOR SYSTEMS-11 SS 304 GRADE PSS BM GOLD RG



TISL-ED-SYS-11 KIT

System Consists Of :

- Sliding Door Roller 2 Sets
- Track To Glass Holder 2 Pcs
- Stopper 2 Pcs
- Floor Guide 1 Pc
- Wall To Track Connector 2 Pcs
- Sliding Door Handles (tisl-hn-50) 1 Pc
- Track To Be Ordered Separately As Per Requirement

	2M	3M
MRP		
PSS	11000	11500
BM	13000	13800
GP	17000	19000
RGP	17500	19000

TISL-ED-11-A6



Track To Glass Holder
Optional For 90° Application

MRP	
PSS	1400
BM	1500
GP	1700
RGP	1700

TISL-ED-11-A1



Sliding
Door
Roller Set

TISL-ED-11-A2



Track To
Glass
Holder
Set

MRP	
PSS	1850
BM	1950
GP	2250
RGP	2250

TISL-ED-11-A3



STOPPER

TISL-ED-11-A4



Floor
Guide

TISKH-1ED



Wall To Track
Connector

TISL-HN-50




Sliding
Door
Handle

MRP	
PSS	1300
BM	1400
GP	1950
RGP	1950

TISL-ED-11-TRACK



Track Available In 2 Mtr. & 3 Mtr.



SLIDING DOOR SYSTEMS



SLIDING DOOR SYSTEMS-44

SSS  BM  GOLD  RG 

TISL-A1 KIT



MRP	
SSS	2600
BM	3400
GP	4100
RG	4100

Roller For Glass Door

TISL-A2 KIT



MRP	
SSS	4500
BM	5100
GP	6100
RG	6100

Roller For Glass Door

SOFT CLOSE SLIDING SYSTEMS-44

TISL-A1-SC KIT




Single Buffer Damping Roller For Glass Door Of 40 Kg.
Suitable For Tisl-44-b1/b3-sc Track

MRP	
SSS	8500
BM	9500
GP	10500
RG	10500

System Consists Of

- Roller 2 Pcs.
- Stopper 2 Pcs
- Floor Guide 1 Pc.
- Door Weight Upto 50 Kg.



TISL-A2-SC KIT




Single Buffer Damping Roller For Glass Door Of 80 Kg.
Suitable For Tisl-44-b1/b3-sc Track

MRP	
SSS	9500
BM	9900
GP	11500
RG	11500

System Consists Of

- Roller 2 Pcs.
- Stopper 2 Pcs
- Floor Guide 1 Pc.
- Door Weight Upto 80 Kg.



SLIDING DOOR SYSTEMS

SOFT CLOSE SLIDING SYSTEMS

SS 304-GRADE SSS  BM  GOLD  RG 

TISL-WSL-80



MRP

SSS	950
-----	-----

Sliding System For Single Frame Wooden Door Of 80kg

TISL-WSL-100



MRP

SSS	1350
-----	------

Sliding System For Single Frame Wooden Door Of 100kg

TISL-E2 TRACK



MRP

2.5 M	ALU	3000
4 M	ALU	4200

Top Track Suitable For TISL-WSL-80/100 - TISL-GL-A4-120 KIT

TISL-WD-80-SC KIT



MRP

SSS	4800
-----	------

NEW

Soft Close Sliding System Set For Single Frame Wooden Door For 80kg.

TISL-WD-100-SC KIT



MRP

SSS	6800
-----	------

NEW

Soft Close Sliding System Set For Single Frame Wooden Door For 80kg.

TISL-WD-B1-SC TRACK



MRP

3M	ALU	3800
	BM	4200
4M	ALU	7000
	BM	7500

Soft Close Track suitable for TISL-WD-80-SC KIT / TISL-WD-100-SC KIT all are Single Door only.

TISL-A3-SC KIT



MRP

SSS	6500
BM	7500

NEW

Soft Close Sliding System Single Frameless Door For 80kg. Suitable For TISL-44-B1/B3-SC Track

TISL-A4-SC KIT



MRP

SSS	9500
BM	9900

NEW

Soft Close Sliding System Single Frameless Door For 120kg. Suitable For TISL-44-B1/B3-SC Track

TISL-GL-A4-120 KIT



MRP

SSS	2800
BM	3500

Sliding System For Single Frameless Glass Door 120kg.

SLIDING DOOR SYSTEMS 33


TISL-33A KIT



MRP

SSS	14500
BM	19500

Max. Door Wt. Upto 150 Kg. Sliding Door Heavy Duty



TISL-33-TH-G2



Glass To Pipe Clamp

MRP

SSS	1700
BM	1850

TISL-33-TH



Fixing For Pipe Tube Connection With Wall Clamp

MRP

SSS	1700
BM	1850

TISL-33A PIPE



Available For Pipe 25mm Dia

MRP

2M	SSS	3250
	BM	3750
3M	SSS	3950
	BM	4500

TISL-33-TH-WL



Wall To Pipe End

MRP

SSS	1200
BM	1350

SLIDING DOOR SYSTEMS

SLIDING DOOR SYSTEMS-44

SSS  BM  GOLD  RG 

TISL-A5



Wall To Track Fixer

MRP

SSS	500
BM	600

TISL-A6



Glass To Track Fixer With Counter Sunk

MRP

SSS	550
-----	-----

TISL-A8



90° Track Connector

MRP

PVC	550
-----	-----

TISL-A9



Wall To Track Connector

MRP

PVC	350
-----	-----

TISL-HN-10



Sliding Door Handle

MRP

SSS	1600
BM	2100
GP	2550
RGP	2550

TISL-HN-50



Sliding Door Handle

MRP

SSS	1300
BM	1500
GP	2000
RGP	2000

TISL-HN-60




Sliding Door Handle

MRP

SSS	1400
BM	1500
GP	2000
RGP	2000

TISL-B1-TRACK


MRP	ALU	BM	GP	RGP
2 mtr.	3800	4500	5400	5400
2.5 mtr.	4780	5400	6300	6300
3 mtr.	5900	6800	7800	7800
4 mtr.	7000	8000	9000	9000



Aluminium Anodized Track For Single Door Sliding

TISL-B2-TRACK


MRP	ALU	BM	GP	RGP
2 mtr.	5100	6900	7500	7500
2.5 mtr.	6200	7200	8500	8500
4 mtr.	10000	10500	11000	11000



Aluminium Anodized Track Double Door Sliding

TISL-B3-TRACK

MRP	ALU	BM	GP	RGP
2 mtr.	3950	4650	5400	5400
2.5 mtr.	4800	5600	6500	6500
3 mtr.	5600	6600	7600	7600
4 mtr.	7200	8300	9300	9300
16 ft.		10300		



Aluminium Anodized Track For Sliding Door & Fixed Glass

TISL-44-B1-SC TRACK


MRP	ALU	BM	GP	RGP
2 mtr.	3500	4000	4500	4500
3 mtr.	5250	5600	5900	5900
4 mtr.	7000	7500	7900	7900



Aluminium Anodized Track For Single Door Sliding

TISL-44-B3-SC TRACK

MRP	ALU	BM	GP	RGP
2 mtr.	5500	5900	6500	6500
3 mtr.	7800	7200	7500	7600
4 mtr.	10400	10800	11200	11200



Aluminium Anodized Track For Sliding Door & Fixed Glass

SPIDER FITTINGS



Premium Spider Fittings and Glass Hardware Collection

A Unique Combination of Luxury and Strength

TITONE premium spider fitting range to give your airport, hotel, hospital, building, and commercial spaces a modern and elegant look. Our spider fittings are not just hardware, but a combination of modernity and strength. Made from high-quality solid steel (SS 304/316), these fittings secure large glass panels without the need for a bulky frame.

Key Features:

- Low Visibility: Creates an elegant 'all-glass' look while maintaining the glass fittings.
- Extreme Strength: Specially designed to withstand heavy weight and wind pressure.
- Various Finishes: Available in premium finishes such as satin and polished. Maintenance Instructions: Our fittings are polished. Please use only a soft cotton cloth and mild soapy water for cleaning.
- Safety Assured: Specially tested hardware to prevent heavy glass from sagging, ensuring years of service.
- Universal Design: Suitable for all types of architecture and glass (12 to 15mm and DGU glass 35mm).

Why Choose Us?

- Advanced technology: Each piece is meticulously finished.
- Easy installation: Simple to fit and requires little maintenance.
- Affordable and durable: High-end quality, but within your budget.

SPIDER FITTING WITH FIN

TISP-A22


MRP	
SSS	1950

SS 316 / 304-GRADE SSS ☐ BLACK ☒

Tested : As Per International Standard



- 1 Way Spider For Ceiling / Wall



Specifications :

- Installed With Routels
- Teflon Washers Prevent Glass Damage
- For Ceiling / Wall To Glass Installation
- Supplied With Anchor Fasteners


SPIDER FITTINGS

SPIDER FITTING WITH FIN

SS 316 / 304-GRADE SSS  BLACK 

TISP-A44

MRP
SSS 2450




Specifications :

- Installed With Routels
- Teflon Washers Prevent Glass Damage
- For Ceiling / Wall To Glass Installation
- Supplied With Anchor Fasteners

- 2 Way Spider For Ceiling / Wall

TISP-A2


MRP
SSS 3800



- 2 Way Spider With Fin

TISP-A4

MRP
SSS 4800




- 4 Way Spider With Fin

SPIDER FITTING WITHOUT FIN (200MM ARM DISTANCE)

TISP-A-221


MRP
SSS 1650



- 1 Way Spider Without Fin

TISP-A222


MRP
SSS 2750



- 2 Way Spider Without Fin 180°

TISP-A-222A


MRP
SSS 2850



- 2 Way Spider Without Fin 90°

TISP-A-223

MRP
SSS 4600



- 3 Way Spider Without Fin


SPIDER FITTINGS

SPIDER FITTING WITHOUT FIN (200MM ARM DISTANCE)

TISP-A-224



MRP
SSS 4500




- 4 Way Spider Without Fin

SS 316 / 304-GRADE SSS ☐ BLACK ☒

TISP-A-224-90



MRP
SSS 7800




- 4 Way Spider 90 Without Fin

SPIDER FITTING WITHOUT FIN (220MM ARM DISTANCE)

TISP-B-221



MRP
SSS 2900




- 1 Way Spider Without Fin

TISP-B-222



MRP
SSS 3900




- 2 Way Spider Without Fin 180°

TISP-B-222A



MRP
SSS 3900




- 2 Way Spider Without Fin 90°

TISP-B-223



MRP
SSS 4800




- 3 Way Spider Without Fin 180°

TISP-B-224



MRP
SSS 5100




- 4 Way Spider Without Fin

TISP-B-224-90



MRP
SSS 9200




- 4 Way Spider Without Fin 90°

SPIDER FITTINGS

SPLICE PLATES

SS 316 / 304-GRADE SSS  BLACK 


TISP-SP-200



MRP	
SSS	6800

- Splice Plate 200 mm


TISP-SP-250



MRP	
SSS	7800

- Splice Plate 250 mm


TISP-SP-300



MRP	
SSS	8100

- Splice Plate 300 mm

TISP-SP-350




MRP	
SSS	8500

- Splice Plate 350 mm

FIN PLATES


TISP-FP-200



MRP	
SSS	6600

- Fin Plate 200 mm


TISP-FP-300



MRP	
SSS	7500

- Fin Plate 300 mm


TISP-FP-350



MRP	
SSS	8500

- Fin Plate 350 mm

TISP-FP-400



MRP	
SSS	11000

- Fin Plate 400 mm

FRAMELESS GLASS CANOPY SYSTEMS




SPIDER BOLTS

SS 316 / 304-GRADE SSS ☐ BLACK ☒

TISP-FB-FL


MRP
SSS 900



- Fixed Bolt (flat Head)

TISP-AFB-FL-36

MRP
SSS 1300



- Articulate Bolt (flat Head)

TISP-AFB-FL-60

MRP
SSS 2450



- Articulate Bolt (flat Head)

TISP-SH-100

MRP
SSS 1400



- To Hold Without Fin Spiders To Any Structure

GLASS CANOPY FITTINGS



TICF-01

MRP
SSS 2050



Wall To Glass Connector

TICF-02

MRP
SSS 1850



Glass Fitting For TICF-04 Rod 12 mm

TICF-03

MRP
SSS 1350



Wall Fittings For TICF-04

TICF-04

MRP-RFT
SSS 1100



Connecting Rod For Canopy 304 Ss 12mm Rod For TICF-02 & TICF-03/03-S

TICF-01-S

MRP
SSS 2900



Adjustable Glass Connector

TICF-02-S

MRP
SSS 1350



Wall Fitting For TICF-03-S

TICF-03-S

MRP
SSS 2800



Threaded Sleeve For TICF-04 Rod

FRAMED SLIDING FOLDING SYSTEMS

SLIM FRAMED SLIDING FOLDING SYSTEMS

BM ■ BGP ■




TIASF-01	MRP
4 MTR.	
BM	7700
BGP	8800
RGP	8800




Top Track

TIASF-02	MRP
3 MTR.	
BM	5100
BGP	5500
RGP	5500




Door Profile Top And Bottom

TIASF-03	MRP
2.5 MTR.	
BM	4000
BGP	4500
RGP	4500



Vertical Door Frame Profile

TIASF-04	MRP
3 MTR.	
BM	4500
BGP	5200
RGP	5200



Divider Profile

TIASF-HR-05	MRP
PC.	3500




Hanging Roller With Clamp

TIASF-06	MRP
SET	
SL	4500
BM	4600



Anti Collision Magnet

TIASF-TP/BP	MRP
SET	
BM	3500



Top & Bottom Pivot

TIASP-LJ-90	MRP
PC	500



Profile Connector

TIASF-HR-07	MRP
PC	1600



Hanging Roller With Clamp

TIABH-5X3X3	MRP
BM	550
BGP	650
RGP	650



Butterfly Hinges

TIASP-TP/BP	MRP
SET	2100



TOP & BOTTOM PIVOT SET

TIFS-MH-1	MRP
BM	1550
BGP	1750
RGP	1750



Bottom Pivot

TIASF-HL	MRP
BM	2900
BGP	3100
RGP	3100



Handle With Lock

TIASF-2+0-KIT	MRP
SET	17000



2 + 0 Doors Folding Kit

TIASF-3+0-KIT	MRP
SET	25000



3 + 0 Doors Folding Kit

TIASF-4+0-KIT	MRP
SET	33100



4 + 0 Doors Folding Kit

TIASF-5+0-KIT	MRP
SET	41200



5 + 0 Doors Folding Kit

FRAMELESS SLIDING FOLDING SYSTEMS

SLIDING FOLDING SYSTEMS

SS 304-GRADE SSS  BM  GOLD  RG 



TISFS-A16

MRP

SSS 4500



End Panel Fitting With Top Pivot

TISFS-A17

MRP

SSS 4300



End Panel Fitting With Bottom Pivot

TISFS-A13 L/R

MRP

SSS 8500



Glass To Glass Connecting Hinge With Floor Lock

TISFS-A6

MRP

SSS 6100



Glass To Glass Interconnecting Hinge

TISFS-A10

MRP

SSS 7100



Glass To Glass Connecting With Roller

TISFS-A12

MRP

SSS 6900



Glass To Glass Connecting Hinge With Guide Locator

TISFS-A11

MRP

SSS 4800



End Sliding Folding Panel Fitting With Roller

TISFS-A14

MRP

SSS 4500



End Sliding Folding Panel Fitting With Guide Locator

TISFS-A18 L/R

MRP

SSS 4700



End Panel Fitting With Bottom Pivot For Odd Panel

TISFS-A9

MRP

SSS 3900



Glass To Wall Hinge For Single Action Doors

TISFS-BT

MRP

3M SSS 8900

4M SSS 11500



Bottom Track 3 Mtr. & 4 Mtr.

TISFS-TT

MRP

3M ALU 13500

4M ALU 16500




Top / Track 3 Mtr. & 4 Mtr.

SLIM GLAZE PARTITION SYSTEMS



SLIM GLAZE SYSTEMS



ANODIZED : MATT SILVER  BM 

- Available in standard sections of 25mm x 25mm and 45mm x 25mm.
- Precision-engineered to accommodate 8mm, 10mm, and 12mm toughened glass.
- Supports seamless partition heights up to 3000mm.
- Designed for maximum flexibility; compatible with hinges, patch, or pivot hardware for frameless glass, as well as integrated stile door systems.
- Delivers a certified sound insulation capacity of 30–32 dB.
- Available in a curated palette of Silver, Black, Brushed Gold, and Brushed Rose Gold.


(SINGLE GLAZING)

Redefining the modern workspace, the Titone Slim Glaze is the premier choice for high-performance demountable partitions. Its minimalist profile provides an uncompromising aesthetic without sacrificing versatility. Whether featuring premium door transitions or custom-fabricated grid-glass structures, it delivers unparalleled design flexibility.

TISGP-A-25X25

MRP	
SL	2350
BM	2550

2.5 & 3 MTR




Fix Profile

TISGP-B-25X25

MRP	
SL	2650
BM	2850

2.5 & 3 MTR




Fix M/f Profile

TISGP-C-25X25

TISGP-4501

MRP	
SL	2300
BM	2400

2.5 MTR 3 MTR




Fix Profile

TISGP-4502

TISGP-4503

MRP	
SL	3400
BM	3600

2.5 & 3 MTR



Fix M/f Profile

TISGP-4504

MRP	
SL	945
BM	1050

2.5 MTR 3 MTR




Fix M/f Profile Cap

TISGP-4505

MRP	
SL	4800
BM	5200

2.5 MTR 2.8 MTR




Door Outer Frame

TISGP-4506

MRP	
SL	3600
BM	3800

3 MTR




Block Fix Profile

TISGP-4507

MRP	
SL	2500
BM	2800

3 MTR




Block Fix M/f Profile

TISGP-4508

MRP	
SL	1200
BM	1300

3 MTR



Block Fix M/f Profile

SLIM GLAZE PARTITION SYSTEMS



SLIM GLAZE SYSTEMS

ANODIZED : MATT SILVER  BM 



Profile: 100mm thick demountable system.


- Dimensions: Maximum height up to 3000mm (elevation dependent).
- Versatility: Customizable configurations including full-height, segmented, and multi-transom layouts.
- Hardware: Supports hinged, patch, pivot, and stile door systems.
- Compatibility: Integrated with 65 and 75 series profiles.
- Aesthetics: Available in premium Black and Silver finishes.

SG-75MM TO 25MM SINGLE GLAZE

TISGP-SG-7501

MRP	
SL	5500
BM	5800

3 MTR




Slim Glaze Fix

TISGP-SG-7502

TISGP-SG-7503

MRP	
SL	5700
BM	6000

3 MTR




Fix Male & Female Profile

TISGP-SG-7501-C

MRP	
SL	1450
BM	1650

3 MTR



Fix Profile & Cover


SG-100MM TO 25MM SINGLE GLAZE

TISGP-1001-T

TISGP-1001-B

MRP	
SL	6000
BM	6900

3 MTR




Fix Profile Top / Bottom Sgu

TISGP-1003-M

TISGP-1004-F

MRP	
SL	6500
BM	7200

3 MTR




Fix Profile Male & Female Sgu

TISGP-1005

MRP	
SL	7500
BM	8400

3 MTR




4 Way Profile Dgu

DG-100(100MM TO 25MM) DOUBLE GLAZE

TISDG-1001

MRP	
SL	6100
BM	6600

3 MTR



Fix Profile / Dgu

TISDG-1001-C

MRP	
SL	1200
BM	1400

3 MTR




Fix Profile Top Cover / Dgu

TISDG-1002-M

TISDG-1003-F

MRP	
SL	6500
BM	6900

3 MTR



Fix Profile Male & Female Dgu

STILE DOOR SYSTEMS



STILE DOOR SYSTEMS


ANODIZED : MATT SILVER BM



- Available in standard sections of 60 series and 75 series.
- Precision-engineered to accommodate 8mm and 10mm single glaze glass.
- Delivers a certified sound insulation capacity of 30-32 db
- Available in curated palette of anodised silver matt and black matt finishes
- Accommodates maximum shutter leaf upto 2700(H) x 900(W)


The Titone Stile Door Frame is a premium aluminum hinged system featuring single-layer glazing. Designed for versatility, it offers a wide range of customizable accessories to meet your specific project requirements. As the modern alternative to traditional patch fittings and wooden frames, it is setting a new benchmark for office cabin design.

TISGP-SD-6001			MRP
SL	4380		4950
BM	4550		5350
		2.4 MTR	2.8 MTR




Stile Door Fix Profile

TISGP-SD-6002			MRP
SL	4200		
BM	4450		
		2.8 MTR	




Stile Door Male Profile

TISGP-6003			MRP
SL	850		
BM	900		
		2.8 MTR	




Stile Door Fe-male Profile

TISGP-SD-DP-60			MRP
SL	1450		1550
BM	1850		2200
		2.5 MTR	2.8 MTR




Door Rebate

TISGP-SD-WDP-60			MRP
SL	1550		1750
BM	1650		1850
		2.5 MTR	2.8 MTR




Door Rebate

TISGP-SD-75			MRP
SL	5800		6800
BM	6050		7100
		2.5 MTR	2.8 MTR




Stile Door Fix Profile

TISGP-SD-7501			MRP
SL	5600		5800
BM	5800		6300
		2.4 MTR	2.8 MTR




Stile Door Male Profile

TISGP-SD-7502			MRP
SL	1200		
BM	1400		
		2.8 MTR	



Stile Door Fe-male Profile

TISGP-SD-7503			MRP
SL	2050		
BM	2200		
		2.8 MTR	



Door Rebate


PORTAL SYSTEM

ANODIZED : MATT SILVER  BM 

TIASP-100-P1

MRP	
SL	8500
BM	9500

3MTR




PORTAL

TIASP-100-P2

MRP	
SL	1900
BM	2100

3MTR



PORTAL CAP

TIASP-50MM

MRP	
SL	950
BM	1000

3MTR




SKIRTING-50MM

SKIRTING

TIASP-75MM

MRP	
SL	1250
BM	1300

3MTR




SKIRTING-75MM / 100MM

CORNER GUARD

TIACG-25MM

MRP	
SL	700
BM	800

3MTR




Corner Guard-25mm

TIASP-45MM-P1

MRP	
SL	5800
BM	6500

3MTR




Portal 45

TIASP-45MM-P2

MRP	
SL	1050
BM	1250

3MTR




Portal Cap

TIACG-19MM

MRP	
SL	650
BM	750

3MTR




Corner Guard-15mm / 19mm

TIACG-15MM

MRP	
SL	500
BM	550

3MTR



CONNECTOR

TIAP-ZC

MRP	
SL	1100
BM	1200

3MTR



Carpet Profile-z

TIAP-TC

MRP	
SL	750
BM	850

3MTR



Transition Profile-30mm

TIASP-12MM

MRP	
SL	900
BM	1300

3MTR




Stick On Profile

TIAP-75MM

MRP	
SL	1050
BM	1500

3MTR




Stick On Profile

TIAP-IS-8

MRP	
SL	600
BM	700

3MTR




I Section-8mm

TIAP-IS-10

MRP	
SL	700
BM	800

3MTR




I Section-10mm

TIAP-IS-12

MRP	
SL	800
BM	900

3MTR




I Section-12mm

TIAP-CS-8

MRP	
SL	1000
BM	1150

3MTR




90° Section-8mm

TIAP-CS-10

MRP	
SL	1150
BM	1200

3MTR




90° Section-10mm

TIAP-CS-12

MRP	
SL	1200
BM	1350

3MTR




90° Section-12mm

TIAP-TS-8

MRP	
SL	900
BM	1000

3MTR




T Section-8mm

TIAP-TS-10

MRP	
SL	900
BM	1050

3MTR




T Section-10mm

TIAP-TS-12

MRP	
SL	1100
BM	1150

3MTR




T Section-12mm

TISGP-45/75

MRP	
GRY	65
BM	65

MTR




Normal Gasket

TISGP-60/75

MRP	
SL	75
BM	75

MTR



Inner Gasket

Bubble Gasket

TISGP-25X25

MRP	
SL	75
BM	75

MTR



Normal Gasket

STILE DOOR HARDWARE

ANODIZED : MATT SILVER

BM

TIMH-11 LN

MRP	
SL	1500
BM	1800



Mortise Handle For Narrow Stile Doors

TIMH-33N

MRP	
SL	1650
BM	1850



Mortise Handle For Narrow Stile Doors

TIML-30(30x85MM)

MRP	
SL	1365
BM	1450

TIML-35(35x85MM)



Narrow Stile Lock Body With Latch & Dead Bolt

TIML-DL-30MM

MRP	
SL	1300
BM	1400

TIML-DL-35MM



Narrow Stile Lock Body With Dead Bolt

TIMC-22-K2K N60

MRP	
SL	900
BM	1050



Lock Body Cylinder Both Side Key

TIMC-22-K2N-60

MRP	
SL	1050
BM	1150



Lock Body Cylinder One Side Key & One Side Knob

TIBFH-4X3X3

MRP	
SSS	500
BM	550

TIBFH-5X3X3

MRP	
SSS	580
BM	650



Butterfly Hinge

TIABFH-4X3X3

MRP	
SSS	2200
BM	2300

TIABFH-5X3X3

MRP	
SSS	2400
BM	2600



Auto Close Butterfly Hinge

TIADH-4X3X3

MRP	
SSS	2200
BM	2300

TIADH-5X3X3

MRP	
SSS	2400
BM	2600



Auto Close Hinge

TIGH-11-DD

300 MM

MRP	
SSS	1750
BM	2300

450 MM

MRP	
SSS	2950
BM	3500

600 MM

MRP	
SSS	3600
BM	4500



Offset Handle

TIDC-650

MRP	
SL	5400
BM	5600



Pelnet Arm Door Closer

TIDC-650E

MRP	
SL	3500
BM	3800



Pelnet Arm Door Closer

TIDC-PLATE-650

MRP	
SSS	2300
BM	2500

TIDC-PLATE-650E

MRP	
SSS	2100
BM	2300



Mounting Plate For Glass Door Installation Of Door Closer TIDC-650/650e

TICTB-300

MRP	
SSS	1450
BM	1700



Concealed Flush Tower Bolt

TIDTP-6/10/12

MRP	
6mm	225
8mm	250
10mm	280
12mm	300



Double Side Acrylic Clear Tape

OFFICE PARTITION HARDWARE



OFFICE PARTITION HARDWARE

SILVER BM GOLD RG

TIAGH-44



MRP	
SIL	2100
BM	2300
BG	2950
BR	2950

- Wall To Glass 90° Aluminium Door Hinge For Door Weight = 50 Kg.

TIAGH-55



MRP	
SIL	2550
BM	2650
BG	3050
BR	3050

- Wall To Glass 90° Aluminium Door Hinge For Door Weight = 50 Kg.

TIAGHL-44-GW



MRP	
SIL	9000
BM	10500
BG	12000
BR	12000

- D-type Glass Door Locks Wall To Glass
- Lock & Handle Set Available In K2k & K2n

TIAGHL-44-GG



MRP	
SIL	10500
BM	11500
BG	13500
BR	13500

- D-type Glass Door Locks Glass To Glass
- Lock & Handle Set Available In K2k & K2n

TIDGL-44-GG



MRP	
	25000

- Strike Box For D Type Glass Door Lock

TIPGDH-55



MRP	
SIL	4400
BM	4800

- Pivot Glass Door Hinge Set

OVERHEAD DOOR CLOSERS

OVERHEAD DOOR CLOSERS

SILVER  BM  GOLD  RG 


TIDC-061



MRP	
SIL	1300
BM	1650

- With Standard Arm
- Maximum Door Weight: 60 Kg.
- Available In Hold Open
- 5,00,000 Cycles Tested

TIDC-610



MRP	
SIL	1450
70 KGS	

- Maximum Door Weight: 60 To 90 Kgs.

TIDC-620

MRP	
SIL	1550
BM	1800
GM	2000
90 KGS	


TIDC-630



MRP	
SIL	7500
BM	8300

- With Standard Arm
- Maximum Door Weight: 150 Kg.
- 5,00,000 Cycles Tested

TIDC-640



MRP	
SIL	4800
BM	5500

- Concealed Door Closer With Arm As Hold Open
- Maximum Door Weight: 80 Kg.
- Maximum Door Width: 1100mm
- 3,00,000 Cycles Tested

TIDC-650



MRP	
SIL	5400
BM	5600

- With Sliding Arm As Hold Open
- Maximum Door Weight: 80 Kg.
- Maximum Door Width: 1100mm
- 3,00,000 Cycles Tested

TIDC-650E

MRP	
SIL	3500
BM	3800
GM	4050

TIDC-660

23/30 MM	
MRP	
SIL	6500
BM	6800



- Concealed Door Closer With Arm As Hold Open
- Maximum Door Weight: 80 Kg.
- Maximum Door Width: 1100mm
- 3,00,000 Cycles Tested

TIDC-660E

35/40 MM	
MRP	
SIL	5500
BM	5900

TIDC-670 EDDY



MRP	
SIL	2700
BM	3500

- With Standard Arm
- Maximum Door Weight: 100 Kg.
- Maximum Door Width: 1100mm
- 3,00,000 Cycles Tested

TIDC-680



MRP	
SIL	3100
BM	3900

- With Standard Arm
- Maximum Door Weight: 80 Kg.
- Maximum Door Width: 1100mm
- 3,00,000 Cycles Tested

TIDC-ACC-PLATE-650



MRP	
SIL	2300
BM	2500

TIDC-ACC-PLATE-650E



MRP	
SIL	2100
BM	2300

- Mounting Plate For Glass Door Installation Of Door Closer Tidc-650/650e



GLASS WEDGE SYSTEMS

ALU  SSS  BM  GOLD  RG 

TIGL-WGP-22



- Can Be Attached With Ceiling, Floor, Or Wall
- Available In Lengths Of 3 Mtr. & 12 Ft.
- Available For 8mm, 10mm & 12mm Glass
- Do Not Require Any Glass Preparation
- Gaskets Included, Please Specify Glass Thick While Ordering

12 FT.

MRP

ALU	4500
-----	------

3 MTR.

MRP

ALU	3900
SSS	4500
BM	4800
GP	4900
RGP	4900

TIPB-05

Aluminium
Partition
Bracket

MRP

WHITE	290
SILVER	290
BM	350



GLASS LIFTER CUP

TIGL-3H

Heavy
Duty



MRP

BM	4000
----	------

- 3 Cup Glass Lifter / German Quality / Weight Capacity 220 Kg.
- Available Finish Black

TIGL-3



MRP

GRY	3200
-----	------

- 3 Cup Glass Lifter / German Quality / Weight Capacity 170 Kg.
- Available Finish Gray

TIGL-2H

HEAVY
DUTY



MRP

BM	2950
----	------

- 2 Cup Glass Lifter / German Quality / Weight Capacity 150 Kg.
- Available Finish Black

TIGL-2



MRP

GRY	2200
-----	------

- 2 Cup Glass Lifter / German Quality / Weight Capacity 110 Kg.
- Available Finish Gray

AUTOMATIC SLIDING DOORS



TIAM-BS-555

Sliding Door Systems For Low Traffic Area
Available In : 2.4mtr. / 4.2mtr. & 6 Mtr.
Basic Sliding System



Single Door 2.4 MTR.

Double Door 4.2 MTR.

Double Door 6 MTR.

MRP	
ALU	120000
ALU	145000
BM	165000
ALU	215000



DOUBLE DOOR

SINGLE DOOR



AUTOMATIC ACCESSORIES

TRACK (4.2/6MTR)	1 PCS
CONTROLLER	1 PCS
MOTOR	1 PCS
POWER SWITCH	1 PCS
TOOTHED BELT	PCS (8/12 MTR)
BELT CONNECTION	1 SET
REMOTE CONTROL	1 PAIR
ADJUSTABLE TENSION WHEEL	1 PCS
SENSOR	2 PCS
STOPPER	2 PCS
HANGER	4 PCS
ALUMINUM CLAMPS FOR GLASS	1 MTR. / 1.5 MTR.
FLOOR GUIDE FOR GLASS DOOR	1 PAIR

SPECIFICATION : TIAM-BS-555 (4.2MTR/6MTR)

HORIZONTAL PULL	SINGLE DOOR	DOUBLE DOOR
LEAF WEIGHT	L 150KG	L 120 X 2
DOOR OF WIDTH	600-1500MM	600-1500MM
CONTROLLER	HIGH-PERFORMANCE MICRO CONTROLLER	
MOTOR	24V80W 2300RPM BRUSHES DC MOTORS	
OPENING SPEED	150 - 550 MM / S (ADJUSTABLE)	
CLOSING SPEED	150 - 550 MM / S (ADJUSTABLE)	
DOOR HOLD TIME	0.60 SECONDS (ADJUSTABLE)	
SUPPLY VOLTAGE	A90-240V-50HZ-60HZ	
OPERATING TEMPERATURE	10°C - 70°C	

AUTOMATIC SLIDING DOORS



TIAM-PS-666

Premium Slide Auto Sliding Door
(high Traffic Area Hd Door)
Available In : 4.2mtr. & 6 Mtr.



Double Door 4.2 MTR.

Double Door 6 MTR.

MRP

ALU	180000
ALU	250000



Automatic sensor door fittings are advanced hardware systems designed to provide touchless, efficient, and secure entry for commercial and residential spaces. These systems rely on a combination of intelligent controllers, high-performance motors, and precise sensors to automate door movement. These systems are primarily installed in high-traffic environments like hospitals, airports, luxury hotels, and shopping malls to provide effortless, hands-free access while maintaining climate control.

SPECIFICATION TIAM-P-666 (4.2mtr. & 6 mtr.)			AUTOMATIC ACCESSORIES	
HORIZONTAL PULL	SINGLE DOOR	DOUBLE DOOR	TRACK (4.2/6MTR)	1 PCS
LEAF WEIGHT	L 150KG	L 130 X 2	CONTROLLER	1 PCS
DOOR OF WIDTH	600-1500MM	600-1500MM	MOTOR	1 PCS
CONTROLLER	LED - CONTROLLER		POWER SWITCH	1 PCS
MOTOR	24V80W 2300RPM BRUSHES DC MOTORS		TOOTHED BELT	PCS (8/12 MTR)
OPENING SPEED	150 - 550 MM / S (ADJUSTABLE)		BELT CONNECTION	1 SET
CLOSING SPEED	150 - 550 MM / S (ADJUSTABLE)		REMOTE CONTROL	1 PAIR
DOOR HOLD TIME	0.60 SECONDS (ADJUSTABLE)		ADJUSTABLE TENSION WHEEL	1 PCS
SUPPLY VOLTAGE	A90-240V-50HZ-60HZ		SENSOR	2 PCS
OPERATING TEMPERATURE	10°C - 70°C		STOPPER	2 PCS
			HANGER	4 PCS
			ALUMINUM CLAMPS FOR GLASS	1 MTR. / 1.5 MTR.
			FLOOR GUIDE FOR GLASS DOOR	1 PAIR

MOTION SENSOR & ACCESSORIES



TIMS-01-ZS

MRP

18600

Combined Active Infrared And Microwave Door Sensor High Sensitivity Wide Range Eagle-type Sensors With Least Interface With Industrial Noise. Infrared Sensor For Active And Presence Detector

Opening & Safety Sensor For Automatic Sliding Doors Another Use Of The Device Is Outside The Permitted Purpose And Can Not Be Guaranteed By The Manufacturers The Manufacturer Cannot Be Held Responsible For Incorrect Installations Or Inappropriate Sensor Adjustments.



- | | |
|---------------------------|---------------------------------|
| 1. Cover | 6. Microwaves Sensitivity Screw |
| 2. Mounting Holes | 7. Dip Switches |
| 3. Operation Indicator | 8. Detection Window |
| 4. Width Adjustment Screw | 9. Adjustment Tool |
| 5. Depth Angle Adjustment | |

TECHNICAL SPECIFICATION :		INFRARED SENSOR	
COVER COLOR	BLACK	INFRARED TYPE	850MM
MOUNTING HEIGHT	2MTR - 3.5 MTR.	DEPTH ANGLE	(-)6 - (+)6
IPS RATE	Ip54	OUT PUT HOLD TIME	1 SEC.
SINGLE OUTPUT	NO/NC	RESPONSE TIME	<0.3 SEC.
QUIESCENT CURRENT	70MA (12V)	MICROWAVE SENSOR	
WORKING CURRENT	78MA (12V)	MCROWAVE TYPE	24-125 GHZ
WEIGHT	230 G	DEPTH ANGLE	25-45
OPERATION TEMPERATURE	20°C - 55°C	OUTPUT HOLDING	1 SEC.
POWER SUPPLY	AC/DC 12-24V		
LEARNING TIME	15S		

TIMS-02-N

MRP

7500

Product Feature :

1. Germany Innocent Detecting Chip 24.125 Ghz
2. The Detecting Chip Can Be Adjusted Easily By Special Part
3. Electric Filter Provide A Good Capacity Of Resisting Disturbance From Raining Wind Lighting And Soon

MICROWAVE SENSOR



Technical Data

Power Supply	- Ac12-24v+ / 10% Dc12-36v
Mounting Height	- Max 3.5 Mtr.
Relay Output	- 0.5 Sen
Wave Form	- 24.125 Ghz

MOTION SENSOR & ACCESSORIES

WIRELESS PRESS BUTTON

TIAM-WPB-01

MRP

16500



TECHNICAL DATA

Power input	AC/DC 12~24V
Working model	Rolling code
Wireless transmit distance	50m
Inductive Distance working life	1-30cm adjustable Using 200 times per day, can work for 3 years

WIRELESS WAVE BUTTON

TIAM-WTS-02

MRP

18900



Features

Sensitive Fm Wireless Switch Can Be Integrated With All Types Of Automatic Doors / Uses Radio Wave To Transmit The Signal / Very Convenient For Places Where Laying Wires Is Not Possible

TIAM-FP

MRP

16500

Access Control
* Finger Print
* Keypad
* Card



TIAM-FP-CARD

MRP

200

Access With
* Finger Print
* Keypad
* Card



TIAM-PS-666

MRP

7500

Automatic Door
Electronic Lock



TIAM-SW-11

MRP

1450

Automatic Door
Electronic Lock



TIAM-CLAMP

MRP

1 MTR.

11200

1.5 MTR.

15200



Aluminium Clamp
Available In 1 Mtr. & 1.5 Mtr. (pair)

PUSH BUTTON

MRP

1450



Large Area Push Button
For Automatic Door

TIAM-FG

MRP

1050



Floor Guide For Frameless
Glass Door (pair)

TIDGL-G2G/G2W

MRP

2500



Remote Control

DIGITAL GLASS DOOR LOCKS

TIDGL-G2G

MRP

24500



Specification :

- Suitable For Glass Door Thickness Of 10 Mm- 12mm
- Material Zinc Alloy Abs

Features :

- 5 Ways Access / Mobile App / Finger Print / Rfid Card / User Pin Code / Unlock Through Remote
- Automatic Locking Systems Passage (open) Mode

Applications :

- Residential / Apartments / Libraries / Offices / Hospitals

TIDGL-G2W

MRP

24000



Glass To Glass Door Lock

NO GLASS CUTOUT REQUIRED

Wall To Glass Door Lock

TELESCOPIC SLIDING SYSTEMS

TELESCOPIC SOFT CLOSE SLIDING SYSTEMS

SSS  BLACK 

TIASP-TSL-1+1 KIT

MRP
KIT 10000



1 Fix +1 Sliding Door

TIASP-TSL-1+0 KIT

MRP
KIT 8500



- Max. Width / Height
950 mm X 3000 mm
- Weight Limit Per Frame
60 Kg. Normal
- Aluminium Profile
8 mm / 10 mm Glass
- Security System handle
With Latch / Lock

TIASP-TSL-2+1 KIT


MRP
KIT 28000



1 Fix +2 Sliding Door

TIASP-TSL-2+0 KIT

MRP
KIT 26500



- Max. Width / Height
950 mm X 3000 mm
- Weight Limit Per Frame
60 Kg. Normal
- Aluminium Profile
8 mm / 10 mm Glass
- Security System handle
With Latch / Lock

TIASP-TSL-3+1 KIT

MRP
KIT 35000



1 Fix +3 Sliding Door

TIASP-TSL-3+0 KIT

MRP
KIT 33500



- Max. Width / Height
950 mm X 3000 mm
- Weight Limit Per Frame
60 Kg. Normal
- Aluminium Profile
8 mm / 10 mm Glass
- Security System handle
With Latch / Lock

TIASP-TSL-4+1 KIT

MRP
KIT 40000



1+4 Sliding Door

TIASP-TSL-4+0 KIT

MRP
KIT 38500



- Max. Width / Height
950 mm X 3000 mm
- Weight Limit Per Frame
60 Kg. Normal
- Aluminium Profile
8 mm / 10 mm Glass
- Security System handle
With Latch / Lock

TIASP-TSL-5+1 KIT

MRP
KIT 50000



1+5 Sliding Door

TIASP-TSL-5+0 KIT

MRP
KIT 48500



- Max. Width / Height
950 mm X 3000 mm
- Weight Limit Per Frame
60 Kg. Normal
- Aluminium Profile
8 mm / 10 mm Glass
- Security System handle
With Latch / Lock

TIASP-SYN-2+2 KIT

MRP
KIT 33000

TIASP-SYN-2+4 KIT

MRP
KIT 66000

Synchro Sliding System



2 Fix + 2 Sliding Door

TIASP-SYN-2+0 KIT

MRP
KIT 31500



- Max. Width / Height
950 mm X 3000 mm
- Weight Limit Per Frame
60 Kg. Normal
- Aluminium Profile
8 mm / 10 mm Glass
- Security System handle
With Latch / Lock

SLIDING SYSTEM ACCESSORIES

BM  BGP  BRG 

TIASP-TT-01



Sliding Top Track

4 MTR.

MRP	
BM	7700
BGP	8800
BRG	8800

6 MTR.

BM	9200
BGP	10300
BRG	10300

TIASP-TC-01



Sliding Top Track Cover


4 MTR.

MRP	
BM	4600
BGP	4800
BRG	4800

6 MTR.

BM	5500
BGP	5800
BRG	5800

TIASP-TB-4516




Door Profile Top / Bottom

3 MTR.

MRP	
BM	5100
BGP	5500
BRG	5500

TIASP-VDP-4516




Door Frame Profile

3 MTR.

MRP	
BM	4000
BGP	4500
BRG	4500

MRP	
BM	4300
BGP	4700
BRG	4700

TIASP-DP-4516




Divider Profile

3 MTR.

MRP	
BM	4500
BGP	5200
BRG	5200

TIASP-SP-1610




Partition Bar (georgian Bar)

3 MTR.

MRP	
BM	1950
BGP	2000
BRG	2000

TIASP-TB-3516




Door Profile Top / Bottom

3 MTR.

MRP	
BM	5100
BGP	5500
BRG	5500

TIASP-VDP-3516



Door Frame Profile

3 MTR.

MRP	
BM	4000
BGP	4500
BRG	4500

MRP	
BM	4300
BGP	4700
BRG	4700

TIASP-DP-3516




Divider Profile

3 MTR.

MRP	
BM	3800
BGP	4200
BRG	4200

TIASP-SP-1410



Partition Bar (georgian Bar)

3 MTR.

MRP	
BM	1950
BGP	2000
BRG	2000

TIASP-SH-01



Sliding Handle

MRP / PC	
BM	1100
BGP	1250
BRG	1250

TIASP-SH-02



Sliding Handle

MRP / PC	
BM	1550
BGP	1850
BRG	1850

TIASP-SHL-03



Sliding Handle With Lock

MRP / PC	
BM	1650
BGP	1850
BRG	1850

TIASP-LJ-90-4516



Heavy Profile Connector

MRP	
SIL	475

TIASP-LJ-90-3516



Heavy Profile Connector

MRP	
SIL	500

TIASP-SL-03



Sliding Door Lock With Key Suitable 3516 / 4516

MRP	
BM	5500
BGP	6300
BRG	6300

TIASP-GASKET-4516



Profile Gasket
6mm / 8mm

MRP/PER MTR	
6MM	90
8MM	90

TIASP-PC-01



Profile Connector

MRP / PC	
	135

SLIM FRAMED SWING DOORS

SLIM FRAMED SWING DOORS

BM ■ BGP ■ BRG ■



TIFS-888



MRP

BM	7000
BGP	7800
BRG	7800

Double Cylinder Floor Spring Aluminium / Wood / Glass Door
Maximum Door Weight Up To 100-120 Kg 10,000,00 Cycle Tested

TIFS-555



MRP


BM	4000
BGP	5000
BRG	5000

Single Cylinder Floor Spring For Wood / Aluminium / Glass Door Capacity 60-80 Kg 5,00,000 Cycle Tested

TIASP-TB-4516

MRP

BM	5100
BGP	5500
BRG	5500




Door Profile Top / Bottom

TIASP-SP-4516

MRP

BM	4000
BGP	4500
BRG	4500



Door Frame Profile

TASP-TP/BP-4516

MRP

SET	2200
-----	------



Profile Door Pivot Top & Bottom Set

TIASD-MHL-01

MRP

BM	5500
BGP	6000
BRG	6000



Mortise Handle With Lock Suitable For Tiasp-sp-4516

TIASD-BHL-02

MRP

BM	20000
----	-------



Biometric Mortise Handle With Lock Suitable For Tiasp-sp-4516

TISBH 4&5X3X3

4 inch

MRP

SSS	450
BM	480
BGP	550
BRG	550

5 inch

MRP

SSS	550
BM	580
BGP	650
BRG	650



Butterfly Hinges

TIASD-PDH-01

MRP

SET

BM	1450
BGP	1650
BRG	1650




Shower Door Pivot

TIADH-5X3X3

MRP

SSS	2500
BM	2550
BGP	2800
BRG	2800



Auto Close Door Hinges

TIACH-03

MRP

SET

BM	1150
BGP	1450
BRG	1450



Aluminium Concealed Hinges

TIABH-04

MRP

SET

BM	700
BGP	800
BRG	800




Aluminium Butterfly Hinges

TIABFH-5X3X3

MRP

SSS	2300
BM	2350
BGP	2600
BRG	2600



Auto Close Butterfly Hinges

INVISIBLE SLIDING SYSTEMS




ALUMINIUM FRAME DOORS

TIASS-01

	MRP/SET
HD	BM 45000
MD	BM 25000

SILVER

BLACK MATT



Top Cross
Door Covers Top Cross
Vertical Cross
Cover
Bottom Cross



	1
	2
	2
	1
	2
	5
	5
	4
	6
	1
	1

- Parameters
- Door Thickness Min. 28mm To Max. 45mm
 - Door Width : 800 To 1200mm

INVISIBLE WOODEN DOORS

TIWSS-02

MRP/SET
BM 27200



	1
	2
	2
	1
	2
	1
	5
	5
	1
	1
	4
	20
	1
	1

- Parameters
- Door Thickness Min. 28mm To Max. 45mm
 - Door Width : 800 To 1200mm



DOOR HANDLES

SS 304-GRADE SSS  BLACK 

TIMH-11


MRP	
SSS	1650
BM	1750



Tubular Mortise Handle

TIMH-11L

MRP	
SSS	1650
BM	1750



L-type Mortise Handle

TIMH-33


MRP	
SSS	1700
BM	1900



D-type Mortise Handle

TIMH-11LN

MRP	
SSS	1600
BM	1800



Mortise Handle For Narrow Stile Doors

TIMH-33N

MRP	
SSS	1650
BM	1850




Mortise Handle For Narrow Stile Doors

TIPH-40

300 x 100

MRP	
SSS	4500
BM	4750



Door Push Plate With Handle D-type

DOOR CONTROL HARDWARE



MORTISE LOCK BODY & EP CYLINDER KNOB LOCKS

SSS  BLACK 

TIML-45 45X85MM



MRP	
SSS	1150
BM	1250

Closed Body Mortise Lock With Strike Dead Bolt & Latch Bolt (SS-304)

TIML-30 30X85MM

TIML-35 35X85MM



MRP	
SSS	1350
BM	1450

Narrow Stile Mortise Lock Body For Aluminium Door With Latch & Dead Bolt

TIML-DL-1-25MM



MRP	
SSS	1250
BM	1350

Narrow Stile Mortise Lock Body With Dead Bolt Also Suitable For Aluminium Framed Doors

TIML-DL1-55MM



MRP	
SSS	1050
BM	1150

Closed Body Mortise Lock With Strike Plate Double Throw Dead Bolt

TIML-L1-45MM



MRP	
SSS	580

Mortise Lock Body Latch Bolt For Steel / Wooden Door

TIML-DL-20MM



MRP	
SSS	1150
BM	1450

Mortise Lock Body With Soft Closing Latch Bolt

TIML-DL-35MM



MRP	
SSS	1500
BM	1650

30 mm
MRP

SSS	1300
BM	1450

Narrow Stile Door Closed Body Mortise Lock With Strike Plate Double Throw Dead Bolt

TIMC-22-K2K-N

60MM MRP		70MM MRP	
SSS	900	SSS	1080
BM	1050	BM	1180



Both Side Key (available In 60/70/80mm)

TIMC-22-K2N-N

60MM MRP		70MM MRP	
SSS	1050	SSS	1250
BM	1150	BM	1350



One Side Key & One Side Knob (available In 60/70/80mm)

TIMC-22-BT-N

60MM MRP		70MM MRP	
SSS	1050	SSS	1150
BM	1150	BM	1300



One Side Knob & Other Side Coin Release (available In 60/70mm)

TIMC-22-HC KNOB- 45MM



Half Cylinder With Knob

MRP	
SSS	650
BM	750

HALF CYLINDERS

TIMC-22-HC KEY-46MM



Half Cylinder With 3 Brass Normal Keys

MRP	
SSS	600
BM	700

DOOR CONTROL ACCESSORIES

CYLINDRICAL KNOB - LOCKS

SSS  BM  GOLD  RG 

TICKL-101

MRP

SSS	950
-----	-----



Knob Lock With Key Operation Push Button

TICKL-202

MRP

SSS	850
-----	-----



Knob Lock With Push Button Coin Release

TIDST-50

MRP

SSS	200
BM	250
GP	350
RGP	350



Door Stopper

INDICATOR TURN LATCH BOLT

TIML-IL-01

MRP

SSS	900
BM	1050



Indicator Mortise Lock Body With Dead Bolt Operated With Allen Key

TIL-02

MRP

SSS	1150
BM	1350



Indicator With Knob For TIML-IL-01

TIL-03

MRP

SSS	1250
BM	1450



Indicator With Turn Latch Bolt

SS BUTT HINGES-WITH BALL BEARINGS

SSS  BLACK 

TIBH-2BB-4X3X3MM

MRP

SSS	430
BM	500



Four Ball Bearings

TIBH-2BB-5X3X3MM

MRP

SSS	490
BM	600



Four Ball Bearings

TIDE-1-25MM

MRP

SSS	550
-----	-----



180° Door Viewer

TINBB-4X2.5X2.5MM

MRP

SSS	140
-----	-----



Without Ball Bearings

TINBB-5X2.5X2.5MM

MRP

SSS	190
-----	-----



Without Ball Bearings

TIADS

MRP

900MM	2500
1000MM	2700



SEALING H:12MM
SLOTING W: 15MM
MAT. ALUMINIUM
STRIP:PVC

Auto Drop Down Door Seal

TIDST-101

MRP

SSS	350
-----	-----



Door Stopper For Wooden Framed Doors

TIZDC-01

MRP

SSS	1000
BM	1150



Door Chain

TIDG-20

MRP

SSS	1050
BM	1250



Door Guard Buckle Type

TITB

FINISH SSS

MRP	
4"	260
6"	280
8"	300



Tower Bolts

GLASS RAILING SYSTEMS



STUD POINT FITTING

SS 304-GRADE SSS PSS BM GOLD RG WD

TISPF 38X50MM



MRP	
SSS	500
PSS	500
BM	700
WD	800
GP	800
RGP	800

Glass Hole, 25mm Stud Point Fitting Of Staircase SS-304

TISPF 50X50MM



MRP	
SSS	700
PSS	700
BM	900
WD	1000
GP	1000
RGP	1000

Glass Hole, 40mm Stud Point Fitting Of Staircase SS-304

TISGF 01

SPIGOT SYSTEMS & MINI BALUSTERS



MRP		
SSS	1000	1300
PSS	1000	1300
BM	1450	1850
WD	1550	1950
GP	1550	1950
RGP	1550	1950

6 INCH 8 INCH

Spigot Fitting For Staircase Round Base Plate With 2 Nos. (available In 4inch)

TISGF 02



MRP	
SSS	1700
PSS	1700
BM	2000
WD	2200
GP	2200
RGP	2200


8 INCH

Cross Spigot Fitting For Staircase Round Base Plate With 2 Nos.

GLASS RAILING SYSTEMS

CLEAR LINE RAILING SYSTEMS

TIRCL-01



- The light and slim aluminium railing is a perfect solution for areas where traditional railing can't be installed.
- Aluminium railing will not corrode, making it the perfect material for a railing that will last.
- This profile comes in 13 & 16 ft length.
- Profile is compatible for upto 3 ft height of glass.

62 MM

MRP/RFT.	
ALU	1400
BM	1450
WD	1450

EC





EC Slotted



Essential Features : • Space saving and Minimalist Design. • Economical with Good Aesthetic Design. • Specially for Residence, Hotels and Public Area. • It is Ideal for Indoor and Outdoor.

TIRCL-02



- This railing is built to be both elegant and functional and is easy to install.
- The best part is that this railing is maintenance-free and will never rust.
- This profile comes in 13 & 16 ft length.
- Profile is compatible for upto 3.5 ft height of glass and can also be used frameless.

86 MM

MRP/RFT.	
ALU	1500
BM	1600
WD	1700

EC




EC Slotted



Essential Features : • Top, Ceiling and Conceal Mounting • High Structural Strength Provides Maximum Security. • Slim Line, Elegant Design and Low Maintenance. • Optimally Suited for Concrete Upstand.

TIRCL-03



- This railing is made of sturdy aluminium and will be a beautiful addition to any porch. The design is sleek and simple.
- This product is perfect for any commercial or residential application and will not rust, rot or corrode.
- This profile comes in 12 & 13 ft length.
- Profile is compatible for upto 4 ft height of glass and can also be used frameless

120 MM

MRP/RFT.	
ALU	2300
BM	2550
WD	2550

EC




EC Slotted



Essential Features : • Slim Line, Elegant Design and Low Maintenance. • Can be used in Interior and Exterior. • Suitable for Concrete Floor and Steel Construction. • For Application in the Public Area.

TIRCL-04



- Alu Empire's LED Railing System combines safety and modern design with integrated LED lighting. Ideal for indoor and outdoor spaces, it enhances visibility and adds a sleek aesthetic. Energy-efficient and functional, it's perfect for homes, offices, and commercial environments, redefining contemporary railing solutions with elegance.
- Profile Size : 50mm x 90mm
- Supports Full-Height Glass
- Weight : 0.950 gm/ft
- Length : Offered in 13 ft and 16 ft variants
- Aluminum Railing Bottom Profile : Durable, Sleek and Seamlessly Integrated
- Glass Thickness options : 12mm Toughened or 25mm Laminated
- Available in Wooden, Anodized and Powder Coating finishes

90 MM

MRP/RFT.	
ALU	3000
BM	3500
WD	3500

EC



EC Slotted



Essential Features : • Customizable • Maintenance-Free • Weather Resistant • Stylish & Modern • 100% Recyclable Material • Eco-Friendly • Hassle-Free Installation • Easy to Clean • Robust Design for Higher Safety • Weatherproof for Durability in Outdoor Environments

GLASS RAILING SYSTEMS

GLASS HANDRAIL SYSTEMS

ALU  BM  WD 

TIAHA-25X25



MRP/RFT.	
ALU	600
BM	650
WD	700

Essential Features :

- Type - Handrail Systems • Use - Indoor & Outdoor
- Material - Aluminium Alloy • Length - 13 & 16 ft

TIAHA-40X40



MRP/RFT.	
ALU	800
BM	850
WD	950

Essential Features :

- Type - Handrail Systems • Use - Indoor & Outdoor
- Material - Aluminium Alloy • Length - 13 & 16 ft

TIAHA-50X50



MRP/RFT.	
ALU	1150
BM	1350
WD	1550

Essential Features :

- Type - Handrail Systems • Use - Indoor & Outdoor
- Material - Aluminium Alloy • Length - 13 & 16 ft

TIAHA-50X25



MRP/RFT.	
ALU	1500
BM	1800
WD	2500

The Aluminium LED Handrail seamlessly merges safety with modern aesthetics, featuring energy-efficient LED lighting on both sides. Engineered for indoor and outdoor applications, it enhances visibility while exuding a sleek, contemporary appeal. Ideal for residential, commercial, and office environments, this innovative solution redefines railing systems with elegance and functionality.

Essential Features :

- Size : 2 Side LED Pipe • Weight : 0.370 gm/ft • Length : Offered in 13 ft and 16 ft variants • Available in Wooden, Anodized and Powder Coating finishes

TISGP-03



MRP	
SSS	2600
BM	3000
WD	3500

Spicot Fitting For Staircase 12 Inch.



TIBCL-01



MRP	
ALU	1100
BM	1250
WD	1450

- With its clean lines and minimalist design, the Aluminium glass T Bracket is the perfect way to complete your decorator.
- Bracket lengths are available in 70 mm.
- Bracket compatible for upto 1000 mm height of glass.
- Brackets can be used at every 2.5 ft of distance.



TIBCL-02



MRP	
ALU	1200
BM	1400
WD	1550

- With its clean lines and minimalist design, the Aluminium glass V Bracket is the perfect way to complete your decorator.
- Bracket lengths are available in 115 mm x 60 mm
- Bracket compatible for upto 1000 mm height of glass.
- Brackets can be used at every 2.5 ft of distance.



TIBCL-03



MRP	
ALU	1200
BM	1400
WD	1550

- A slope aluminum glass bracket is a sleek and modern mounting solution for attaching a glass panel to a surface.
- Bracket lengths are available in 70 mm & 140 mm.
- Bracket compatible for upto 1000 mm height of glass.
- Brackets can be used at every 2.5 ft of distance.



GLASS RAILING SYSTEMS



ALUMINIUM RAILING ACCESSORIES

SS 304-GRADE

SSS

PSS

BM

GOLD

RG

WD

TIRAC-EC-25X25

MRP



ALU	300
BM	350
WD	380

For 25 X 25 Tube End Cap

TIRAC-WC-25X25

MRP



ALU	400
BM	500
WD	550

For 25 X 25 Tube Wall Cap

TIRAC-JO-25X25

MRP



ALU	500
BM	550
WD	600

For 25 X 25 180°
Tube Joint Connector

TIRAC-JO-90°-25X25

MRP



ALU	550
BM	600
WD	650

For 25 X 25 90°
Tube Joint Connector

TIRAC-AJ-25X25

MRP



ALU	750
BM	800
WD	850

For 25 X 25
Adjustment Connector

TIRAC-EC-40X40

MRP



ALU	350
BM	400
WD	450

For 40 X 40 Tube End Cap

TIRAC-WC-40X40

MRP



ALU	500
BM	600
WD	700

For 40 X 40 Tube Wall Cap

TIRAC-JO-40X40

MRP



ALU	750
BM	850
WD	900

For 40 X 40 180°
Tube Joint Connector

TIRAC-JO-90°-40X40

MRP



ALU	800
BM	850
WD	900

For 40 X 40 90°
Tube Joint Connector

TIRAC-AJ-40X40

MRP



ALU	1100
BM	1150
WD	1250

For 40 X 40
Adjustment Connector

TIRAC-EC-50X50

MRP



ALU	470
BM	480
WD	490

For 50 X 50 Tube End Cap

TIRAC-WC-50X50

MRP



ALU	600
BM	650
WD	750

For 50 X 50 Tube Wall Cap

TIRAC-JO-50X50

MRP



ALU	700
BM	800
WD	900

For 50 X 50 180°
Tube Joint Connector

TIRAC-JO-90°-50X50

MRP



ALU	850
BM	950
WD	1000

For 50 X 50 90°
Tube Joint Connector

TIRAC-AJ-50X50

MRP



ALU	850
BM	900
WD	950

For 50 X 50
Adjustment Connector

TIRAC-01-GH

MRP



SSS	1100
PSS	1200
BM	1250
GP	1100
RGP	1200

Dia 22mm & 16mm Rod

TIRAC-02-GH

MRP



SSS	1100
PSS	1200
BM	1250
GP	1100
RGP	1200

Dia 16mm Solid Rod

TIRAC-03-GH

MRP



SSS	1100
PSS	1200
BM	1250
GP	1100
RGP	1200

Dia 20mm & 20mm Solid Rod

TIRAC-04-GH

MRP



SSS	1100
PSS	1200
BM	1250
GP	1100
RGP	1200

Casted Glass To Handrail
Connector

TIRAC-08-GH

MRP



SSS	1100
PSS	1200
BM	1250
GP	1100
RGP	1200

Size 50mm Square Pipe Glass
To Handrail Connector



DISTRIBUTORS AT



scan for location

KARNATAKA

18, Ravi Plaza 5th Cross,
Kalasipalyam New Extension, Bengaluru - 560002
Email : titonehardware@gmail.com



scan for website

ANDHRA PRADESH

GUJARAT

KERALA

MAHARASHTRA

NEW DELHI

RAJASTHAN

TAMIL NADU

TELANGANA

SOLUTIONS FOR



Government



Hotel



Residency



Hospital




Shopping Mall



Museum



Airport



College



Bank



Retail Shop



Automobile
Showrooms



Commercial
Building

OUR PRODUCT RANGE

PATCH FITTINGS • DOOR HANDLES • FLOOR SPRINGS & ACCESSORIES • SWING FRAMED SHOWER ENCLOSER • SHOWER CUBICLE FITTINGS • PLASTIC PROFILES • SLIDING SHOWER SCREEN • CORNER SLIDING SHOWER SCREEN • SLIDING DOOR SYSTEMS • SPIDER FITTINGS & FRAMELESS CANOPY SYSTEMS • FRAMED SLIDING FOLDING SYSTEMS • FRAMELESS SLIDING FOLDING SYSTEMS • SLIM GLAZE PARTITION SYSTEMS • FRAMELESS OFFICE PARTITION HARDWARE • OVER HEAD DOOR CLOSERS • WALL CONNECTING PROFILE • AUTOMATIC DOORS / MOTION SENSOR & ACCESSORIES • TELESCOPIC SLIDING SYSTEMS • SLIM FRAMED SWING DOORS • INVISIBLE SLIDING SYSTEMS • DOOR CONTROL HARDWARE • GLASS RAILING SYSTEMS.

AUTH. PARTNER



CORPORATE OFFICE :

RUDRA INDUSTRIAL HUB

OPP. RADHE KRISHNA GOLD, INDUSTRIAL ESTATE,
NEAR MAHAVIR CIRCLE, KATHWADA, AHMEDABAD - 380001



scan for location

Follow us on :



www.titone.in